
RAW SEQUENCE LISTING ERROR REPORT



0400

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/779, 050Source: 0/PEDate Processed by STIC: 3/7/200/

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,

2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE <u>CHECKER VERSION 3.0 PROGRAM</u>, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

Checker Version 3.0

The Checker Version 3.0 application is a state-of the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 – 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address: http://www.uspto.gov/web/offices/pac/checker

ERROR DETECTED SUGGESTED CORRECTION ATTN: NEW RULES CASES: PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE The number/text at the end of each line "wrapped" down to the next line. Wrapped Nucleics This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to .3, as this will prevent "wrapping". The amino acid number/text at the end of each line "wrapped" down to the next line. Wrapped Aminos This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to .3, as this will prevent "wrapping". The rules require that a line not exceed 72 characters in length. This includes spaces Incorrect Line Length The numbering under each 5th amino acid is misaligned. This may be caused by the use of tabs Misaligned Amino Acid between the numbering. It is recommended to delete any tabs and use spacing between the numbers. Numbering This file was not saved in ASCII (DOS) text, as required by the Sequence Rules. Non-ASCII Please ensure your subsequent submission is saved in ASCII text so that it can be processed. maybe more) contain h's or Xaa's which represented more than one residue. Variable Length As per the rules, each n or Xaa can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the (ix) feature section that some may be missing. A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid Patentin ver. 2.0 "bug" . Normally, Patentin would automatically generate this section from the previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid sequence. This applies primarily to the mandatory <220>-<223> sections for Artificial or Unknown sequences. missing. If intentional, please use the following format for each skipped sequence: Sequence(s) Skipped Sequences (2) INFORMATION FOR SEQ ID NO:X: (OLD RULES) (i) SEQUENCE CHARACTERISTICS:(Do not insert any headings under "SEQUENCE CHARACTERISTICS") (xi) SEQUENCE DESCRIPTION:SEQ ID NO:X: This sequence is intentionally skipped Please also adjust the "(iii) NUMBER OF SEQUENCES:" response to include the skipped sequence(s). Sequence(s) ____ missing. If intentional, please use the following format for each skipped sequence. Skipped Sequences

<210> sequence id number (NEW RULES) ₹400> sequence id number 000 Use of n's or Xaa's Use of n's and/or Xaa's have been detected in the Sequence Listing. Use of <220> to <223> is MANDATORY if n's or Xaa's are present. (NEW RULES) In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents. are missing this mandatory field or its response. Use of <213>Organism (NEW RULES) Sequence(s) _____ are missing the <220>Feature and associated headings. Use of <220>Feature Use of <220> to <223> is MANDATORY if <213>ORGANISM is "Artificial" or "Unknown" (NEW RULES) Please explain source of genetic material in <220> to <223> section. (See "Federal Register," 6/01/98, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of new Rules) Please do not use "Copy to Disk" function of PatentIn version 2.0. This causes a corrupted 13 ____ Patentin ver. 2.0 "bug" file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other means to copy file to floppy disk.

OIPE

RAW SEQUENCE LISTING DATE: 03/07/2001 PATENT APPLICATION: US/09/779,050 TIME: 11:03:02

	4 6	<110	HS T' <	SU, E	OF :	ING INVEN	OLLA	۷: RI	ECEPT	ror :	FROM	TNF	F'AM:	ILY	-			Does Corrected	Not Comp Diskette N	oly leeded
~ .		<130 <140								D. 11	e /na	/770	050					_	<i>i</i>	
J >		<141										,,,,	,050					0	6	
		<150										800							•	
		<151									,							U		
		<160																•		
		<170								n 3.1	0								•	
		<210															,			
		<211																•		
	22	<212	> Ti	PE:	DNA															
		<213				Homo	sap	piens	5										•	
	25	<220	> FE	EATUI	RE:															
	26	<221	> NP	ME/I	EY:	CDS														
	27	<222	> LC	CAT	ON:	(143)	3)	(997)											
		< 400																		
	30	gaat	tegg	jca c	gago	ctgag	gg gg	gtga	geça	a gco	cetg	ccat	gtag	gtgca	acg (cagga	acatca	60		
	32	acaạ	acac	cag a	ataac	cagga	aa at	gate	cati	t cc	etgt	ggtc	acti	tatto	cta a	aaggo	cccaa	120		
		cctt	сааа	igt. t	caaq	gtagt	.g at	: at	g gat	: gad	e te	c aca	a gaa	a ago	g gag	g cag	g tca	172		
	35								t Ası	o Ası	o Sei		r GI	ı Arç	g GI	i Gil	n Ser 10			
	36						1	1				5			de	222		220		
	38	ege Arg	CLL	act	tet	Ege	CLL	aag	aad	aya	gaa	Clu	Mot	Tuc	Lou	tuc	Clu	220		
	40	Arg	Leu	THE	ser	tys 15	Leu	гуѕ	ьуѕ	ALG	20	GIU	met	пуs	Leu	25	GIU			
		tgt	~++	+00	a t c		CCP	caa	224	паа		ccc	tct	atc	cga		tcc	268		
	43	Cys	yet Val	Ser	Tle	Len	Pro	Ara	Lvs	Glu	Ser	Pro	Ser	Va!	Ara	Ser	Ser			
	44	Cys	vai	JCI	30	пси	110	**** 9	2,5	35	501	,		,	40					
		aaa	gac	gga		cta	eta	act.	αca		tta	cta	ctq	qca	ctq	ctq	tct	316		
	47	Lys	Asp	Glv	Lvs	Leu	Leu	Ala	Ála	Thr	Leu	Leu	Leu	Āla	Leu	Leu	Ser			
	48	-2		45					50					55						
	50	tgc	tgc	ctc	acg	gtg	gtg	tct	ttc	tac	cag	gtg	gcc	gcc	ctg	caa	ggg	364		
	51	Cys	Cys	Leu	Thr	Val	Val	Ser	Phe	Tyr	Gln	Val	Ala	Ala	Leu	Gln	Gly	•		
	52		60					65					70							
	54	gac	ctg	gcc	agc	ctc	cgg	gca	gag	ctg	cag	ggc	cac	cac	gcg	gag	aag	412		
	55	Asp	Leu	Ala	Ser	Leu		Ala	Glu	Leu	Gln		His	His	Ala	Glu			•	
	56						80					85					90	160		
	58	ctg	cca	gca	gga	gca	gga	gcc	ccc	aag	gcc	ggc	ctg	gag	gaa	gct	cca	460		
		Leu	Pro	Ala	Gly		GLy	Ala	Pro	Lys		GIY	Leu	Glu	GIU		Pro			
	60					95	a+		o +	+++	100	000	000	aa+	000	105	(12.3	508	•	
	62	gct Ala	gtc	acc	gcg	gga	tou	dad	tlo	Dho	Glu	Dro	Dro	Ale	Dro	Glv	Glu	500		
		Ald	val	THE	110	стА	ьeu	пλг	116	115	GIU	210	210	ATO	120	GILY	Jiu			
	64 66	ggc .	220	tee		cac	aac	age	aga		aaσ	cat	acc	att		aat	cca	556	•	
	67	Glv	Asn	Ser	Ser	Gln	Asp	Ser	Ara	Asn	Lvs	Ara	Ala	Val	Gln	Glv	Pro ·			
	68	JIY .		125	501	0111			130		_, _	9		135	··	1				
	50																		•	

RAW SEQUENCE LISTING
PATENT APPLICATION: US/09/779,050

DATE: 03/07/2001
TIME: 11:03:02

									ttg								604
71 72	Glu	Glu 140	Thr	Val	Thr	Gln	Asp 145	Cys	Leu	Gln	Leu	Ile 150	Ala	Asp	Ser	GIu	
	aca		act	ata	caa	aaa		tct	tac	aca	ttt		cca	taa	ctt	ctc	652
75	Thr	Pro	Thr	Ile	Gln	Lys	Glv	Ser	Tyr	Thr	Phe	Val	Pro	Trp	Leu	Leu	
	155					160	- .		•		165			-		170	
78	agc	ttt	aaa	agg	gga	agt	gcc	cta	gaa	gaa	aaa	gag	aat	aaa	ata	ttg	700
79	Ser	Phe	Lys	Arg	Gly	Ser	Ala	Leu	Glu	Glu	Lys	Glu	Asn	Гìя	Ile	Leu	
80				•	175					180					185		
82	gtc	aaa	gaa	act	ggt	tac	ttt	ttt	ata	tat	ggt	cag	gtt	tta -	tat	act	748
	Val	Lys	Glu		Gly	Tyr	Phe	Phe	Ile	Tyr	GTA	Gin	Val		туг	Thr	
84				190					195	a + +		~ ~ ~	224	200	a+ 0	ant.	796
									cta								7 9 0
88	Asp	гуѕ	205	J. A.T.	Ald	met	GTÄ	210	Leu	116	GIII	ALG	215	μγs	val	1113	
	atc	+++		at	gaa	t t a	agt		gt.g	act	tta	ttt		tat	att	caa	844
91	Val	Phe	Glv	Asp	Glu	Leu	Ser	Leu	Val	Thr	Leu	Phe	Ara	Cvs	Ile	Gln	-
92	, a <u>,</u>	220	011	n.op	010		225	200 01				230	,	- 2 -			
	aat		cct	gaa	aca	cta		aat.	aat	tcc	tgc	tat	tca	gct	ggc	att	892
									Asn								
	235					240					245					250	
									ctc								940
99	Ala	Lys	Leu	Glu	Glu	Gly	Asp	Glu	Leu	Gln	Leu	Ala	Ile	Pro			
100					255					260					265		222
																ttg	988
		Ala	Glr			Leu	ı Asp	o Gly			. Thi	: Phe	e Phe	280 280		Leu	
104				270		a++	2020	an to	275		ro+ a+	-+ ++	anta				1037
			i Lei		CCLa	ICLL	acac	Cary	jtc t	.y caç	julai		-CC L.C		•		1037
108	_	nec	285														
		ctat			agaa	ga a	ıaσaa	itcta	a ct	.gaaa	atac	caia	aaaaa	aaa	aaaa	aaaaaa	1097
																aaaaaa	1157
				aggg		••											1173
				D NO													
118	<21	1> I	ENGT	H: 2	85												
119	<21	.2> T	YPE:	PRI	•												1
						ıo sa	pien	ıs									
				ENCE:						_		_	1	_	_	_	
		. Asp	Asp	Ser		Glu	ı Arg	GLu	ı G1n		Arg	j Lei	ı Thr	Ser		Leu	
125		_	_	63	5		T		. .	10	O	. 171		т 1 а	15	Dave	
		Lys	Arg		GIU	мет	. гуѕ	те п	г дуя 25	GIL	Сус	s val	. 561	30	: Leu	Pro	
129		Tre	Clu	20	Dro	cor	. Val	λκα		Sor	. 110	λer	· Glu		Leu	Leu	
133	Arg	пур	35	. Ser	FIC	, ser	vai	40	, 561	Jer	шуг	, 112	45	Lly S		100	
	Ala	Δla		Leu	Leu	Leu	ιAla		Leu	Ser	Cvs	CVS		Thr	Val	Val	
137		50		200			55				-1-	60					
	Ser		Tyr	Gln	Val	Ala		Leu	Gln	Gly	Asp	Leu	ı Ala	Ser	Leu	Arg	
141			1			70				•	75					80	
		Glu	Leu	Gln	Gly	His	His	Ala	Glu	Lys	Leu	Pro	Ala	Gly	Ala	Gly	
					_												

RAW SEQUENCE LISTING DATE: 03/07/2001 PATENT APPLICATION: US/09/779,050 TIME: 11:03:02

115					85					90					95		
145	A 1	Dec	T C	X 1 a		Lou	Clu	clu	λla		λla	Val	The	Δla		Lau	
149	Ald	PIO	БYS	100	Giy	Беа	OIU	GIN	105	110	nia	V 3 1	1111	110	013	2011	
	Tue	T l a	Dha		Pro	Prio	Δla	Pro		Glo	Gly	Asn	Ser		Gln	Asn	
153	гÃЗ	110	115	GIU	110	110	riiu	120	019	Olu	011		125	0.51			
	Sor	Ara		Tire	Ara	Δla	Val		Glv	Pro	Glu	Glu		Va1	ጥከተ	Gln	
157	261	130	กรถ	пĵэ	nrg	nia	135	0111	Ory	110	014	140		,		0	
	Acn		Eau	Gln	Leu	Tle		Asn	Ser	Glu	ም b r	Pro	Thr	Tle	Gln	Lys	
	145	(- <u>y</u> 5	LCu	01	Dou	150		1100	00.	01.0	155					160	
		Ser	Tor	Thr	Phe		Pro	Tro	Leu	Leu		Phe	Lvs	Ara	Glv		
165	017	001	+1+		165	,			204	170				5	175		
	Ala	Leu	Glu	Glu		Glu	Asn	Lvs	Ile		Val	Lys	Glu	Thr	Glv	Tyr	
169	1114	170 14	0.20	180	117.0	024		-10	185					190		-	
	Phe	Phe	Tle		Glv	Gln	Val	Leu		Thr	Asp	Lys	Thr	Tyr	Ala	Met	
173			195		1			200	•		•	-	205	•			
	Gly	His		Ile	Gln	Arq	Lvs	Lvs	Val	His	Val	Phe	Gly	Asp	Glu	Leu	
177	01	210				,	215					220	-	•			
	Ser		Val	Thr	Leu	Phe	Arg	Cys	Ile	Gln	Asn	Met	Pro	Glu	Thr	Leu	
	225					230	44'	-			235					240	
		Asn	Asn	Ser	Cvs	Tyr	Ser	Ala	Gly	Ile	Ala	Lys	Leu	Glu	Glu	Gly	
185					245	-			-	250		-			255		
188	Asp	Glu	Leu	Gln	Leu	Ala	Ile	Pro	Arg	Glu	Asn	Ala	Gln	Ile	Ser	Leu	
1.89	٠			260					265					270			
192	Asp	Gly	Asp	Val	Thr	Phe	Phe	·Gly	Ala	Leu	Lys	Leu	Leu				
193			275					280					285				
196	<21.0	0> SI	EQ II	ON C	: 3												
197	<21	1> L	ENGT	H: 13	139												
198	<21	2> T	PE:	DNA													
199	<213	3> OI	RGAN	ISM:	Mus	mus	culus	5									
201	<220)> F	EATUI	RE:													
202	<223	1> NA	AME/I	KEY:	CDS												
203	<222	2> L(CAT:	ON:	(52)) (9	978)										
)> SI															
	gaat	ttcg	gca d	egage	eteca	aa ag	ggcct	cagao	ctt	caaa	agtg	ctc	ctcgt	igg a		g gat	57
207																Asp	
208															1		
												tgt					105
	Glu	Ser		Lys	Thr	Leu	Pro		Pro	Cys	Leu	Cys		Cys	Ser	GIu	
212			5					10				,	15				1.50
												atc					153
	Lys	•	Glu	Asp	Met	Lys		GLY	Tyr	Asp	Pro	Ile	Thr	Pro	GIN	ràa	
216		20					25					30				~~+	201
												gga					201
		Glu	GIY	Ala			GIA	ire	Cys	Arg		Gly	Arg	Leu	ren		
220			_4 -			40	~+~	++-	+ ~ ~	2~2	45	++~	202	~~~	a+~	50	249
422			CTC	CTO	CTO	qcc	ctg	ccg	FCC	ayc	ayt	LLC	aca	geg	aly	LUU	443
222	gct						T	T 0	C~~	C ~~	200	Dha	でわっ	λlэ	Mo+	Sar	
					Leu		Leu	Leu	Ser		Ser	Phe	Thr	Ala		Ser	
224	Ala	Thr	Leu	Leu	Leu 55	Ala				60		Phe atg			65		297

RAW SEQUENCE LISTING DATE: 03/07/2001 PATENT APPLICATION: US/09/779,050 TIME: 11:03:02

227 228	Leu	Tyr	Gln	Leu 70	Ala	Ala	Leu	Gln	Ala 75	Asp	Leu	Met	Asn	Leu 80	Arg	Met	
	gag	at a	02.7		t 2.0	003	act	t 0=		202	CCa	acc	acc	aca	aat	act	345
230	Glu	Lou	Cay	e or	Turn	Ara	Clu	Cor	Ala	The	Dro	Ala	Δla	Δla	Glv	Δla	5.0
	GLU	ьеи		Ser	TĂT	ALG	GTĀ		нта	1111	FIU	Ala	95	ALU	Gry	ALU	
232			8.5					90		- 4					~ ~ t		393
234	cca	gag	t.tg	acc	gct	gga	gtc	ana	CEC	ctg	aca	ccg.	gca	gct	cet	cga	393
235	Pro	Glu	Leu	Thr	Ala	Gly		Lys	Leu	Leu	Thr		Ala	Ala	Pro	Arg	
236		.100					1.05					110					
238	ccc	cac	aac	tcc	agc	ege	ggc	cac	agg	aac	aga	cgc	gct	t.tc	cag	gga	441
239	Pro	His	Asn	Ser	Ser	Arg	Gl.y	His	Arg	Asn	Arg	Arg	Ala	Phe	Gln	Gly	
240	115					120					125					130	
242	cca	gag	gaa	aca	gaa	caa	gat	gta	gac	ctc	tca	gct	cct	cct	gca	cca	489
	Pro																
244					135		_		_	140					145		
	tgc	cta	cct	aga	tac	cac	cat	tct	caa	cat	qat	gat	aat	gga	atg	aac	537
247	Cys	Leu	Pro	Glv	CVS	Ara	His	Ser	Gln	His	Asp	Asp	Asn	ĞÎv	Met	Asn	
248	0,5	200		150	0,0	5			1.55		<u>L</u> -			160			
	oto	202	330		2 t t	caa	gac	tat		can	cta	att	aca		age	gac	585
220	Leu	aya	Aan	rlo	Tio	Cla	Acr	Cuc	Lou	Cln	Lou	Tla	Λla	Acn	Ser	Δen	
	Leu	Arg		TIE	TIE	0211	ASP	170	пец	GIII	1100	110	175	мэр	DCI	1105	
252			165						+		+++	~++		- ~~	a++	ata	633
254	acg	ccg	act -	ata	cga	aaa	gga	act	tac	aca	יייי	get	CCa	-gg	CLL	CLC	033
	Thr		Thr	He	Arg	Lys		Thr	Tyr	Thr	Phe		Pro	Trp	Leu	Leu	
256		180					185					190					
258	agc	ttt	aaa	aga	gga	aat	gcc	t±g	gag	gag	aaa	gag	aac	aaa	ata	gtg	681
259	Ser	Phe	Lys	Arg	Gly	Asn	Ala	Leu	Glu	Glu		Glu	Asn	Lys	Ile		
260	195					200					205					210	
262	gtg	agg	caa	aca	ggc	tat	ttc	ttc	atc	tac	agc	cag	gtt	cta	tac	acg	729
263	Val	Arg	Gln	Thr	Gly	Tyr	Phe	Phe	Ile	Tyr	Ser	Gln	Val	Leu	Tyr	Thr	
264					215					220					225		
266	gac	ccc	atc	ttt	qct	atg	ggt	cat	gtc	atc	cag	agg	aag	aaa	gta	cac	777
	Asp																
268				230			-		235			_	-	240			
	gtc	+++	ana		αaα	cta	aαc	cta	ata	acc	cta	t.t.c	cqa	tqt	att	caq	825
271	Val	Phe	Glv	Asn	Glu	Len	Ser	Leu	Val	Thr	Leu	Phe	Ara	Cvs	Ile	Gln	
272	VUL	LIIC	245	тор	Olu	шец	501	250	,		20.		255	-2-			
	aat	ata		222	503	at a	000		aat	tcc	tac	tac		act	aac	atc	873
	Asn																. 0,5
	ASII		PLO	Lys	1111	Leu	265	MSII	ASII	Jer	Cys	270	БСи	niu	OLY	110	
276		260								~~~	~++		- + +	aat	000	~ ~ ~	921
	gcg																921
	Ala	Arg	Leu	Glu	Glu	-	Asp	GIU	ше	GIN		Ala	116	PLO	Arg		
	275					280					285					290	0.00
	aat																969
283	Asn	Ala	Gln	Ile	Ser	Arg	Asn	Gly	Asp		Thr	Phe	Phe	Gly		Leu	
284					295					300					305		
286	aaa	ctg	ctg	taac	ctcac	ctt 9	jctg	gagto	go gt	igato	ccct	tc	cctc	gtct			1018
287	Lys	Leu	Leu														
290	tcto	ctgta	acc t	ccga	aggga	ag aa	acag	gacga	cto	ggaaa	aat	aaaa	agato	ggg 🤉	gaaag	geegte	1078
																gacagc	1138
294		•	•						-								1139

RAW SEQUENCE LISTING DATE: 03/07/2001 PATENT APPLICATION: US/09/779,050 TIME: 11:03:02

```
297 <210> SEQ ID NO: 4
298 <211> LENGTH: 309
299 <212> TYPE: PRT
300 <213> ORGANISM: Mus musculus
302 <400> SEQUENCE: 4
304 Met Asp Glu Ser. Ala Lys Thr Leu Pro Pro Pro Cys Leu Cys Phe Cys
                                     10
308 Ser Glu Lys Gly Glu Asp Met Lys Val Gly Tyr Asp Pro Ile Thr Pro
                                 25
309 20
312 Gln Lys Glu Giu Gly Ala Trp Phe Gly Ile Cys Arg Asp Gly Arg Leu
313 35
                              40
                                                 45
316 Leu Ala Ala Thr Leu Leu Leu Ala Leu Leu Ser Ser Phe Thr Ala
                                             60
317 50
                          55
320 Met Ser Leu Tyr Gln Leu Ala Ala Leu Gln Ala Asp Leu Met Asn Leu
                                         75
                      70
324 Arg Met Glu Leu Gln Ser Tyr Arg Gly Ser Ala Thr Pro Ala Ala Ala
                  85
328 Gly Ala Pro Glu Leu Thr Ala Gly Val Lys Leu Leu Thr Pro Ala Ala
                                 105
329
              100
332 Pro Arg Pro His Asn Ser Ser Arg Gly His Arg Asn Arg Arg Ala Phe
                              120
                                                 125
336 Gin Gly Pro Glu Glu Thr Glu Gln Asp Val Asp Leu Ser Ala Pro Pro
     130
                         135
                                             140
340 Ala Pro Cys Leu Pro Gly Cys Arg His Ser Gln His Asp Asp Asn Gly
                     150
                                         155
341 145
344 Met Asn Leu Arg Asn Ile Ile Gln Asp Cys Leu Gln Leu Ile Ala Asp
                  165
                                     170
345
348 Ser Asp Thr Pro Thr Ile Arg Lys Gly Thr Tyr Thr Phe Val Pro Trp
              180
                                 185
                                                    190
352 Leu Leu Ser Phe Lys Arg Gly Asn Ala Leu Glu Glu Lys Glu Asn Lys
                             200
                                                205
353 195
356 Ile Val Val Arg Gln Thr Gly Tyr Phe Phe Ile Tyr Ser Gln Val Leu
                          215
357 210
360 Tyr Thr Asp Pro Ile Phe Ala Met Gly His Val Ile Gln Arg Lys Lys
          . 230
                                        235
364 Val His Val Phe Gly Asp Glu Leu Ser Leu Val Thr Leu Phe Arg Cys
                                     250
                 245
368 Ile Gln Asn Met Pro Lys Thr Leu Pro Asn Asn Ser Cys Tyr Leu Ala
              260
                                 265
372 Gly Ile Ala Arg Leu Glu Glu Gly Asp Glu Ile Gln Leu Ala Ile Pro
                              280
373 275
376 Arg Glu Asn Ala Gln Ile Ser Arg Asn Gly Asp Asp Thr Phe Phe Gly
       290
                          295
380 Ala Leu Lys Leu Leu
381 305
384 <210> SEQ ID NO: 5
385 <211> LENGTH: 278
386 <212> TYPE: PRT
387 <213> ORGANISM: Homo sapiens
```

(see trem 6 on Eva Summan Sheet) This implies variable length, which is not permitted. (partial listers 6 55 Seg. 5) Please ensure all sequeror with this error are corrected. 120 135 170

<221> misc feature X = one or more naturally occurring amino acid residues. <400> Met Asp Xaa Ser Xaa Xaa Xaa Xaa Xaa Xaa Xaa Leu Xaa Xaa Cys Xaa Xaa Lys Xaa Glu Xaa Met Lys Xaa Glu Xaa Xaa Xaa Xaa Xaa Xaa Xaa Asp Gly Xaa Leu Leu Ala Ala Thr Leu Leu Leu Ala Leu Leu Ser Xaa Xaa Xaa Thr Xaa Xaa Ser Xaa Tyr Gln Xaa Ala Ala Leu Gln Xaa Asp Leu Xaa Xaa Leu Arg Xaa Glu Leu Gln Xaa Xaa Xaa Xaa Xaa Xaa Ala Pro Ala Xaa Ala Gly Ala Pro Xaa Xaa Thr Ala Gly Xaa Lys Xaa Xaa Xaa Pro Xaa Ala Pro Xaa Xaa Xaa Asn Ser Ser Xaa Xaa Xaa Arg Asn Xaa Arg Ala Xaa Gln Gly Pro Glu Glu Thr Xaa Xaa Gln Asp Cys Leu Gln Leu Ile Ala Asp Ser Xaa Thr Pro Thr Ile Xaa Lys Gly Xaa Tyr Thr Phe Val Pro 150 145 Trp Leu Leu Ser Phe Lys Arg Gly Ser Ala Leu Glu Glu Lys Glu Asn Lys Ile Xaa Val Xaa Xaa Thr Gly Tyr Phe Phe Ile Tyr Xaa Gln Val 180 Leu Tyr Thr Asp Xaa Xaa Xaa Ala Met Gly His Xaa Ile Gln Arg Lys 200 Lys Val His Val Phe Gly Asp Glu Leu Ser Leu Val Thr Leu Phe Arg 215

Please Note:

<210> <211>

<212>

<213>

<220>

278

PRT

Homo sapiens

Use of n and/or Xaa have b en detected in the Sequenc Listing. Please review the Sequence Listing to ensure that a corresp nding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Cys Ile Gln Asn Met Pro Xaa Thr Leu Pro Asn Asn Ser Cys Tyr Ser

230

VERIFICATION SUMMARY

DATE: 03/07/2001 TIME: 11:03:03

PATENT APPLICATION: US/09/779,050

Input Set : A:\A-570B.ST25 (US).txt
Output Set: N:\CRF3\03072001\1779050.raw

L:10 M:270 C: Current Application Number differs, Replaced Current Application Number L:396 M:258 W: Mandatory Feature missing, <222> not found for SEQ !D#:5 L:396 M:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:5 L:399 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:5 M:340 Repeated in SeqNo=5 L:402 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:5 L:405 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:5 $L:408\ \text{M}:258\ \text{W}:$ Mandatory Feature missing, <222> not found for SEQ ID#:5 L:411~M:258~W: Mandatory Feature missing, <222> not found for SEQ ID#:5 L:414 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:5 L:417 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:5 L:420 M:258 W: Mandatory Feature missing, $\langle 222 \rangle$ not found for SEQ ID#:5 L:423 M:258 W: Mandatory Feature missing, $\langle 222 \rangle$ not found for SEQ ID#:5 L:429 M:258 W: Mandatory Feature missing, $\langle 222 \rangle$ not found for SEQ ID#:5 L:432 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:5 L:438 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:5 L:441 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:5 L:444 M:258 W: Mandatory Feature missing, <222> not found for SEQ TD#:5 L:462 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:6 L:462 M:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:6 L:465 M:258 W: Mandatory Feature missing, <222> not found for SEQ TD#:6 M:340 Repeated in SeqNo=6 $L:468\ M:258\ W:$ Mandatory Feature missing, <222> not found for SEQ ID#:6 L:471 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:6 L:474~M:258~W: Mandatory Feature missing, <222> not found for SEQ ID#:6 L:477 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:6 L:1156 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:25 L:1156 M:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:25 L:1159 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:25 M:340 Repeated in SeqNo=25 L:1177 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:26 L:1177 M:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:26 L:1199 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:27 L:1199 M:340 W: (46) "n" or "Xaa" used: Feature required, for SEQ ID#:27 I.:1202 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:27 M:340 Repeated in SeqNo=27 L:1205 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:27 L:1208 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:27 L:1211 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:27 L:1214 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:27 L:1217 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:27 L:1220 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:27 L:1223 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:27